

## Specimen Label

Main Panel

Wefco Marketing

### **ACTIVE<sup>®</sup> ULV SPACE SPRAY**

Reg. No. L8012 Act 36 of 1947

Active Ingredients:

Pyrethrins (Pyrethroid) 5g/kg  
Piperonyl Butoxide 40g/kg

An Ultra Low Volume (ULV), fogging or misting solution used as a space spray for the control of crawling and flying insects and their larvae.

Controls flies and flying insects in and around animal houses and high density breeding areas. Used in the control of vector mosquitoes, ants and other insects of public health importance.

Controls a wide range of stored product insects in warehouse and factories such as moths including fruit moths, meal moths, grain weevils, rice weevils, flour beetles, lesser grain borer, greater grain borer and saw-toothed grain beetle etc.

It is also a contact ant short residual insecticide for the control of the tobacco beetle (*Lasioderma serricorne*) and the tobacco moth (*Ephestia elutella*) in tobacco warehouses and processing areas.

Net Content

**HARMFUL/SKADELIK**

## Specimen Label

Left of Main Panel

### DIRECTIONS FOR USE:

USE ONLY AS DIRECTED.

This insecticide should be applied to the target area using an electric or motorised cold aerosol generator or thermal fogging application equipment capable of producing a very fine aerosol droplet for space spraying. These units include misting, fogging and Ultra Low Volume (ULV) machines (Pro ULV or Porta-Pak ULV). A coarser spray should be used for surface treatment.

Used as recommended **Wefco ACTIVE® ULV Space Spray** may be applied with confidence around food handling premises, tobacco warehouses, markets, water supplies and other sensitive areas.

#### **Flying and crawling insects indoors:**

Close all windows and doors during spraying and for 30 minutes thereafter. Ensure even distribution of the insecticide as a very fine mist/fog spray, using 400 ml / 1 000 m<sup>3</sup> i.e. 10.8 ml/27 m<sup>3</sup>. Treatment at weekly intervals is recommended until infestations are brought under control.

#### **Flying insects outdoors:**

For the control of flies in and around refuse sites, animal houses and in areas where mosquitoes and other flying insects is a nuisance **Wefco ACTIVE® ULV Space Spray** should be sprayed at the target area.

#### **Crawling insects and larvae indoors:**

Apply to all internal surfaces of the infested store, giving special attention to cracks, crevices and other harbourages. Spray bags and cases of stored products. Application should be at the rate of approximately 5L / 100 – 200 m<sup>2</sup> for immediate effect. Treatment every 4 – 5 weeks is recommended in warehouse protected from direct sunlight. Retreat as necessary.

**Tobacco Warehouses:** Ensure that tobacco entering the warehouse has been fumigated and/or is insect free.

Treat all warehouses with **Wefco ACTIVE® ULV Space Spray** at the rate of 400 ml / 1000m<sup>3</sup> i.e. 10.8 ml/27 m<sup>3</sup> at a four-day interval, ensuring even distribution throughout the warehouse.

If the directions are followed this insecticide will not taint tobacco.

**Integrated Pest Management (IPM):** In the control of insect pests it is recommended that other interventions be used in conjunction with each other to improve the desired levels of control.

Detection of insect infestations using traps and pheromones should be considered to ensure pesticides are used only when necessary.

Residual surface treatments are desirable whenever possible as often space sprays containing natural pyrethrum cause hyperactivity and flushing of the insects out of harbourages. Contact with these residual surface treatments improved the overall efficacy of the programme.

## Specimen Label

Right of Main Panel

### **WARNINGS**

HANDLE WITH CARE

May cause irritation of the skin, eyes. Do not apply directly onto food or tobacco.

Keep out of reach of children, uninformed persons and animals. In the case of poisoning call a physician and show him/her this label.

### **PRECAUTIONS**

In the case of signs of sensitivity, obtain medical advice.

Do not breathe excessive spray mist and avoid skin contact.

Wash with soap and water after use.

Prevent contamination of foodstuffs, feed, eating utensils and drinking water.

Avoid excessive wetting of plastic, rubber or asphalt surfaces.

Destroy empty container and do not re-use for any other purpose.

### **SYMPTOMS OF POISONING**

Numbness of lips and tongue, sneezing, nausea, vomiting, diarrhoea, headache, restlessness, in coordination, chronic convulsions, stupor, prostration.

### **FIRST AID TREATMENT**

Remove patient from source of poisoning to a well-ventilated area and keep them quiet and reassured.

Remove contaminated clothing and rinse contaminated body area thoroughly with plenty of soap and water. Do not rub skin. Flush contamination out of eyes with clean water for 15 minutes.

If ready-to-use concentrate has been swallowed, do not induce vomiting. Gastric lavage is recommended. Activated charcoal may be helpful in reducing absorption of the compound.

### **NOTE TO PHYSICIAN**

Treat symptomatically.

### **Registered by**

Wefco Marketing International

Reg. No. 1989/006076/23

P.O. Box 13221, Cascades, 3202, RSA

TEL: (033) 3461920/22

Batch No.: see container

Date manufactured: see container

UN No.: 2902