

Specimen Label

Main Panel

Wefco Marketing (logo)

ACTIVE®

Reg. No. L8395 Act 36 of 1947

FLY BAIT

Flies

ACTIVE INGREDIENTS:

Methomyl (Carbamate)	10 g/kg
(Z)-9-Tricosense	1 g/kg

Highly effective Ready-To-Use granular fly bait that can be used either as a dry scatter bait or wet as a surface spray or paint-on. Active Fly bait is scientifically proven to attract and kill flies by contact and stomach action.

Manufactured and Registered by:

Wefco Marketing International CC
PO Box 13221, Cascades, 3202, RSA
Reg. No CK 89/06076/23

Net Content:

CAUTION - VERSIGTIG

Batch number and date manufactured

Specimen Label

Side Panel

ACTIVE Fly Bait is a highly effective Ready-To-Use granular fly bait that is scientifically proven to attract flies using food attractants as well as the fly pheromone (Z)-9-Tricosene. **ACTIVE Fly Bait** uses the powerful killing action of Methomyl, by contact and stomach action. This product contains a bitter substance that acts as a taste deterrent to prevent accidental poisoning of other mammals and non-target species.

DIRECTIONS FOR USE:

USE ONLY AS DIRECTED.

Dry bait

Lightly sprinkle bait in a shallow container out of reach of children and animals. The container should be positioned in areas where flies are known to congregate. Alternatively, the bait can also be sprinkled over moistened cotton wool inside a shallow container.

Scatter bait

Evenly scatter granules (200g per 50-100m²), over surface where flies have access and are known to congregate. These include areas around waste disposal and refuse dumps, manure heaps, external areas of food processing plants, restaurants, in poultry houses, dairies, feedlots and in stables. Care should be taken not to place the bait in heaps but rather scatter lightly, as this increases the attractiveness of the bait. Continue the treatment reapplying every 2 - 3 hours until the fly population has decreased.

Liquid Bait

For **heavily infested** areas prepare a viscous solution of the granules mixing 500g of bait to 500ml of warm water. Stir well. It is not necessary to completely dissolve all the granules. A 500g solution can be used to "paint" an area of 2 – 4m² and will provide effective fly control for a surrounding area of 200m².

Once the fly population has been brought under control a **maintenance** solution may be prepared by mixing 500 –1000g of granules to 10 litres of water. Apply small amounts in numerous areas where flies are known to congregate. Alternatively, the solution can be sprinkled onto floors and other known resting places.

Use prepared bait solutions within a 24-hour period.

In order to ensure extended stability of the product it is recommended that the container be closed when stored to preserve the integrity of the pheromone (attractant).

Retreat as necessary.

Specimen Label

INTEGRATED PEST MANAGEMENT

An integrated pest management (IPM) programme should always be considered when controlling any insect pest challenge. Breaking the life cycle of the insect pest as often as possible will achieved better results than a single intervention. In fly control, breeding sites should be identified and either by physical or chemical means effectively managed. Insecticide surface treatments that have residual action are desirable on resting sites i.e. walls, ceilings and roof timbers whilst space spray treatments will knockdown and kill adults in flight. Fly baits form part of this IPM programme and play an important roll in improving the overall efficacy.

WARNINGS:

- Handle with care.
- Poisonous by swallowing, avoid excessive skin contact.
- Poisonous to fish, bees, birds and wildlife.
- Keep out of reach of children, uninformed persons and animals.
- Keep container closed when not in use.
- May cause irritation of the skin, eyes, and mucous membranes.
- Store away from foods and foodstuffs

PRECAUTIONS:

- Prevent ingestion and excessive contact with the skin.
- Wear rubber gloves when handling or mixing bait.
- Wash hands thoroughly with soap and water after use.
- Avoid contamination of food, feed, water, eating utensils and food preparation surfaces.
- Destroy empty container and dispose of in a safe way.
- Never use the empty container for any other purpose.